






安徽涌拓电声有限公司
南京涌拓电声有限公司

产品画册


- Unit Speaker




Unit Speaker				
Nor. Power	F0	Sensitivity	ACR	THD
11W	170Hz	80dB	4ohm	7%



SPL



IMP





THD

Y310-619A




Unit Speaker


Nor. Power	F0	Sensitivity	ACR	THD
11W	180Hz	81dB	6ohm	7%



SPL



IMP





THD

南京涌拓电声有限公司 | 安徽涌拓电声有限公司


地址: 安徽省天长市经三路201号 联系人: 张小兵 13771900933




Unit Speaker				
Nor. Power	F0	Sensitivity	ACR	THD
11W	180Hz	81dB	6ohm	5%



SPL





IMP




THD


Unit Speaker				
Nor. Power	F0	Sensitivity	ACR	THD
11W	170Hz	80dB	8ohm	7%



SPL





IMP




THD

Unit Speaker


Nor. Power	F0	Sensitivity	ACR	THD
11W	170Hz	80dB	8ohm	7%



SPL




IMP



THD

Nor. Power	F0	Sensitivity	ACR	THD
6W	170Hz	80dB	8ohm	7%



Sky123.Org Sinusoidal

CL10

dBV

Ohm

10 20 50 100 200 500 1k 2k 5k 10k 20k

Hz




CH B Ohm Resolution 1/24 Octave Smooth Unsmoothed Delay [ms] 0.000 Dist Rise [dB] 30.00

The plot shows the frequency spectrum of the audio signal. The x-axis represents frequency in Hz on a logarithmic scale from 10 to 20k. The left y-axis represents dB SPL from 20.0 to 120.0. The right y-axis represents CL10 in % from 0.0 to 50.0. The green line shows the measured spectrum, which has several peaks, notably around 15 Hz, 25 Hz, and 40 Hz. A blue line shows a sinusoidal fit to the data, which follows the general envelope of the spectrum. Vertical grey lines are present at regular intervals across the frequency range.


THD

Unit Speaker


Nor. Power	F0	Sensitivity	ACR	THD
11W	140Hz	81dB	6ohm	7%



SPL



IMP



THD

Unit Speaker



Nor. Power
10W

F0
200Hz


Sensitivity
79dB

ACR
8ohm


THD
7%



SPL





IMP




THD


Unit Speaker				
Nor. Power	F0	Sensitivity	ACR	THD
3.5W	320Hz	78dB	4ohm	7%



SPL






IMP




THD

Unit Speaker


Nor. Power	F0	Sensitivity	ACR	THD
3.5W	260Hz	78dB	8ohm	7%



SPL





IMP




THD

Unit Speaker


Nor. Power	F0	Sensitivity	ACR	THD
3.5W	300Hz	78dB	8ohm	7%



SPL



IMP



THD

Unit Speaker




Nor. Power
3.5W

F0
260Hz


Sensitivity
78dB

ACR
8ohm


THD
7%



SPL



IMP





THD

Y3580-610A




Unit Speaker


Nor. Power	F0	Sensitivity	ACR	THD
10W	160Hz	80dB	6ohm	7%



SPL



IMP



THD

南京涌拓电声有限公司 | 安徽涌拓电声有限公司



地址:安徽省天长市经三路201号 联系人:张小兵 13771900933




Y3590-603




Unit Speaker				
Nor. Power	F0	Sensitivity	ACR	THD
12W	190Hz	80dB	6ohm	7%



SPL



IMP



THD

南京涌拓电声有限公司 | 安徽涌拓电声有限公司




地址:安徽省天长市经三路201号 联系人:张小兵 13771900933




Y3676-801-L




Unit Speaker				
Nor. Power	F0	Sensitivity	ACR	THD
5W	220Hz	80dB	8ohm	7%



SPL



IMP



THD



南京涌拓电声有限公司 | 安徽涌拓电声有限公司

地址:安徽省天长市经三路201号 联系人:张小兵 13771900933




Unit Speaker


Nor. Power	F0	Sensitivity	ACR	THD
6W	280Hz	80dB	8ohm	7%



SPL




IMP



THD



THD

7%




THD


Unit Speaker				
Nor. Power	F0	Sensitivity	ACR	THD
5W	130Hz	86dB	4ohm	5%



SPL





IMP




THD

Unit Speaker				
Nor. Power	F0	Sensitivity	ACR	THD
5W	180Hz	83dB	4ohm	5%



SPL





IMP




THD

Unit Speaker				
Nor. Power	F0	Sensitivity	ACR	THD
5W	2300Hz	89dB	4ohm	5%



IMP



SPL




THD

Unit Speaker


Nor. Power	F0	Sensitivity	ACR	THD
5W	3600Hz	89dB	4ohm	5%



SPL





IMP




THD


Unit Speaker				
Nor. Power	F0	Sensitivity	ACR	THD
11W	1800Hz	83dB	4ohm	7%



SPL





IMP




THD

Unit Speaker


Nor. Power	F0	Sensitivity	ACR	THD
12W	1500Hz	80dB	8ohm	7%



SPL



IMP






THD

南京涌拓电声有限公司 | 安徽涌拓电声有限公司


地址:安徽省天长市经三路201号 联系人:张小兵 13771900933




Unit Speaker				
Nor. Power	F0	Sensitivity	ACR	THD
15W	150Hz	77.5dB	4ohm	5%



SPL





IMP




THD

Unit Speaker


Nor. Power	F0	Sensitivity	ACR	THD
25W	160Hz	83dB	6ohm	5%



SPL





IMP




THD

Unit Speaker


Nor. Power	F0	Sensitivity	ACR	THD
25W	120Hz	80dB	6ohm	5%



SPL



IMP



THD